



33rd Annual **INCOSE**
international symposium

hybrid event



Honolulu, HI, USA
July 15 - 20, 2023



MBSE Application to a Medication Auto-Injector Design

**Bridging Systems Engineering Models and
Multi-Fidelity Analytical Models**

Meeting Challenges by 2035



“By 2035, systems engineering will leverage the digital transformation in its tools and methods, and will be largely model-based using integrated **descriptive and analytical** digital representations of the systems.

Systems design, **analysis, and simulation models**, immersive technologies, and an **analytic framework** will enable **broad trade-space exploration**, rapid design evolution, and provide a shared understanding of the system throughout its life cycle.”

* Source: [INCOSE SE Vision 2035](#)

Agenda

- Challenges and System Context Definition
- Enabling Analytics in the System Model
- Need for Multi-Fidelity Analytical Models
- Integrating Analyses with the System Architecture Model
- Design Space Exploration, from Conceptual to Detailed Design
- Benefits & Challenges
- Conclusion




Challenges and System Context Definition

Auto-Injectors - Background

Auto-injector devices are used to treat a variety of diseases

Highly convenient as they support patient independence


Increased drug effectiveness and reduced percentage of errors vs syringes



With pen injectors, the patient actuates the needle and subsequent flow of medication through the engagement of the push-button. This design is commonly used for patients with chronic diseases. (Credit: Instron)

Global Auto Injector Market

Market forecast to grow at a CAGR of 19.1%



<https://www.researchandmarkets.com/reports/5602515>

RESEARCH AND MARKETS
THE WORLD'S LARGEST MARKET RESEARCH STORE

Auto-Injectors - Delivery Challenges




Figure 3: Complex molecules of biotherapeutics and biologics.



Figure 4: Formulation vehicles for LAIs.

* Source: ONdrugDelivery Prefilled Syringes & Injection Device, Issue 125 (2021)



Molecule size and fragility

High dose concentrations

Large delivery volumes


Temperature effects

Optimizing bolus shape


Auto-Injectors - Analyses

-  Determine which solutions meet our cost, safety and bolus shape (delivery time) requirements.
-  Trade-offs between multiple design configurations
-  Evaluate chosen solutions for robustness against temperature variation
-  Analytic framework that supports the integration of simulation models from conceptual to detailed design phases

Auto-Injectors - System Problem Focus and Assumptions



A Systems Engineering Modeling Framework





Enabling Analytics in the System Model


Step 1: Enabling Analytics in the System Model

Conceptual Phase


Preliminary Phase

Detailed Design Phase

Prototype & Test




Requirements and Parameterization




Requirements can be more than a statement. They can have values (parameters) behind them.


Structural Architecture – System Parameterization




Functional/Behavior Architecture – Functional Parameterization




Architectural Decomposition/Derivation – Parameterization




Constraint Definition – Parametric Diagram – System Cost



Constraint Definition – Parametric Diagram – Drug Containment System Safety Factor



Constraint Definition – Parametric Diagram – Injection Time





Need for Multi-Fidelity Analytical Models


Step 2: Simulation Models Automation

Conceptual Phase


Preliminary Phase

Detailed Design Phase

Prototype & Test




SAM* = System
Architecture Model



Simulation Models


Simulation Models Creation and Parametrization

CFD Analysis



Fluid Inputs:
Plunger Initial
Velocity
Drug Inlet
Temperature

Fluid Outputs:
Barrel Wall
Pressure
Drug Density
Drug Injection
Time
Drug Viscosity





Structure Inputs:
Material Modulus
Barrel Wall
Thickness

Structure Outputs:

- Max Tensile Stress
- Safety Factor

Barrel Pressure from Fluid




Cost Analysis

	A	B	C
1	Barrel Design Properties		
2	Barrel Inner Diameter	9	mm
3	Barrel Wall Thickness	0.3	mm
4	Barrel Length	0.05	m
5	Glass Volume	4.59967E-07	m ³
6			
7	Glass Cost		
8	Glass Volumic Cost	97.05	\$/m ³
9	Barrel Glass Cost	4.46E-05	\$


Simulation Model Automation



1-way Fluid Structure Interaction Workflow



Cost Analysis Workflow





Integrating Analyses with Systems Architecture Model


Step 3: Connect Simulation Models to the SAM

Conceptual Phase


Preliminary Phase

Detailed Design Phase

Prototype & Test




SAM* = System Architecture Model



Simulation Models


Step 3: Connect Simulation Models to the SAM



Step 3: Connect Simulation Models to the SAM

Analyses mapped with Component Entities


Analyses mapped with Requirement Entities





Run Trade Studies in the SAM

Step 4: Run Trade Studies in the SAM



Configure and Run Trade Studies in the SAM

- Design of Experiments set up in the SAM directly
- Specify Design/Response Variables and DoE method
- Results gathered in a Data Explorer Table
- Save Results back to the SAM


Table - LHC200_11_8.tstudy - Data Explorer

File Chart Help

Add View Finder Plug-Ins

Legend: input valid output invalid output modified value

AUTO SCROLL	188	189	190	191	192	193	194	195	196	197	198	199	200
design variable(Model.Auto.Injector_1422_10_19.Model.Fluent.Drug_Injection_Velocity)	0.00435	0.00465	0.00429	0.00402	0.00439	0.00431	0.00496	0.00451	0.00404	0.00466	0.0044	0.00621	0.00473
design variable(Model.Auto.Injector_1422_10_19.Model.Fluent.Drug_Temperature)	283.684	282.966	290.837	291.336	285.482	286.556	276.825	276.982	292.693	285.167	275.975	288.022	282.215
design variable(Model.Auto.Injector_1422_10_19.Model.Mechanical.Glass_Modulus)	60309.1	64836.8	66113.9	64280	71016.6	73374.2	72278.3	71191.8	71445.2	62689.5	60766.7	61445.8	60574.7
design variable(Model.Auto.Injector_1422_10_19.Model.Mechanical.Glass_Thickness)	0.3497	0.43337	0.43453	0.32853	0.44119	0.33143	0.49319	0.2695	0.35499	0.40686	0.32442	0.40959	0.39121
response(Model.Cost_Analysis_Excel_10_29.Model.Excel.Glass_Cost)	5.23E-05	6.55E-05	6.57E-05	4.91E-05	6.68E-05	4.95E-05	7.51E-05	4.00E-05	5.32E-05	6.13E-05	4.84E-05	6.18E-05	5.89E-05
response(Model.Auto.Injector_1422_10_19.Model.Mechanical.Glass_Safety_Factor)	1.8191	3.25549	3.32506	1.66844	3.42963	1.68108	4.14427	1.27204	1.90949	3.40216	1.60069	2.71038	3.15235
response(Model.Auto.Injector_1422_10_19.Model.Mechanical.Glass_Max_Tensile_Stress)	17.8989	10.0016	9.79231	19.5152	9.49373	19.3885	7.85662	25.5967	17.0517	9.57038	20.3412	12.0131	10.3288
response(Model.Auto.Injector_1422_10_19.Model.Mechanical.axial_force)	5.88007	5.95226	5.86686	5.8059	5.8889	5.87055	6.02699	5.91874	5.80861	5.95455	5.89155	6.35256	5.96971
response(Model.Auto.Injector_1422_10_19.Model.Fluent.Drug_Density)	1000.09	1000.24	998.662	998.562	999.733	999.518	1001.47	1001.44	998.291	999.796	1001.64	999.225	1000.39
response(Model.Auto.Injector_1422_10_19.Model.Fluent.Drug_Injection_Time)	11.4968	10.7423	11.6504	12.4226	11.3985	11.6074	10.0767	11.0782	12.3867	10.7209	11.3684	8.04705	10.5773
response(Model.Auto.Injector_1422_10_19.Model.Fluent.Drug_Viscosity)	11.4968	10.7423	11.6504	12.4226	11.3985	11.6074	10.0767	11.0782	12.3867	10.7209	11.3684	8.04705	10.5773




Objective: AllInjectionTime 0 Minimum: 9.00000000 Maximum: 10.00000000 Units: s

Design: 9.9409508

Source Binding: REQ_Auto-Injector_System_Injection_Time


Source Binding:

Get Design Insights and Identify Solution Space



- Highly-constrained Design Space
- Useful to get Design Space Insights from the Conceptual Stage
- Help relaxing/refining requirements and narrowing down the Design Space

Step 4: Run Trade Studies in the SAM




Step 5: Moving into Detailed Design

Conceptual Phase


Preliminary Phase

Detailed Design Phase

Prototype & Test



Surrogate Model Generation



Detailed Analyses Integration in the SAM



Low-Fidelity Analyses replaced by higher fidelity models



Additional Simulation Models connected to the SAM



Further Design Exploration Studies

Execution Plan 1* x

Structure Elements					Associated Analyses
Name	Value	Type	Units		
SYS.2.1 Barrel					2-way FSI Metamodel_AI 2.0
barrelFriction	5.0000E-2	Real	N		Safety Factor Workflow_AI 2.0, Material Catalog Workflow_AI
barrelInnerDiameter	6.3500	Real	mm		Material Catalog Workflow_AI 2.0, 1-way FSI Workflow_AI 1.0
barrelLength	5.0000E-2	Real	m		
barrelMaterial	Polycarbona	String			Material Catalog Workflow_AI 2.0
Polycarbonate		\$			Auto-Injector System_Auto-Injector Cost, Material Catalog W
Polypropylene		kg/m^3			Material Catalog Workflow_AI 2.0
Polyethylene (high density)					Safety Factor Workflow_AI 2.0, Barrel_barrelSafetyFactor_gte_
Polyethylene (low density)		mm			Safety Factor Workflow_AI 2.0, Material Catalog Workflow_AI
Soda Glass		MPa			Safety Factor Workflow_AI 2.0, Material Catalog Workflow_AI
SYS.2.2 Drug					
drugDensity	999.80	Real			1-way FSI Workflow_AI 1.0
drugInletTemp	293.15	Real	K		1-way FSI Workflow_AI 1.0, Temperature Viscosity Formula_A
drugViscosity	1.0000E-3	Real	Pa.s		2-way FSI Metamodel_AI 2.0, 1-way FSI Workflow_AI 1.0, Tem
SYS.2.3 Hub					
hubCost	0.10000	Real	\$		Auto-Injector System_Auto-Injector Cost
SYS.2.4 Needle					

Analyses (9 of 10 selected)

<input type="checkbox"/> 1-way FSI Workflow_AI 1.0
<input checked="" type="checkbox"/> 2-way FSI Metamodel_AI 2.0
<input checked="" type="checkbox"/> Auto-Injector System_Auto-Injector Cost
<input checked="" type="checkbox"/> Auto-Injector_AllInjectionTime_gte_8_lte_
<input checked="" type="checkbox"/> Barrel_barrelSafetyFactor_gte_3_5
<input checked="" type="checkbox"/> Material Catalog Workflow_AI 2.0
<input checked="" type="checkbox"/> Safety Factor Workflow_AI 2.0
<input checked="" type="checkbox"/> Spring Catalog Workflow_AI 2.0
<input checked="" type="checkbox"/> Spring Compression Feasibility Check_AI
<input checked="" type="checkbox"/> Temperature Viscosity Formula_AI 2.0

Materials Catalog

MaterialType	Yield Stress (MPa)	Ave Price (Eur/kg)	Density (kg/m^3)
Polycarbonate	62.5	1.76	1200
Polypropylene	34.6	0.8	931
Polyethylene (high density)	28.4	1.05	954
Polyethylene (low density)	11.0	0.79	921
Soda Glass	7.0	0.70	2520

Requirements

Name	Associated Analyses
R.0 R.0 Auto-Injector System Description	
R.0.3 R.0.3 Auto-Injector System Injection Capability	
R.0.3.4 R.0.3.4 Spring Compression Range	Spring Compression Feasibility Check_AI 2.0
ParameterRequirements	
Barrel.barrelSafetyFactor_gte_3_5	Barrel_barrelSafetyFactor_gte_3_5
Auto-Injector.AllInjectionTime_gte_8_lte_10	Auto-Injector_AllInjectionTime_gte_8_lte_10

Step 6: Trade Study Results and Reliability Check





Spring Type	Spring Compression (mm)	Barrel Wall Thickness (mm)	Barrel Material Type	Barrel Friction (N)	Barrel Safety Factor	AI Price (\$)	AI Injection Time (s)
PC965-12065	132	0.8	Polycarbonate	0.0362	21.78	1.29	11.96
PC1143-25400	132	0.8	Polycarbonate	0.029	21.78	1.29	11.55
PC965-12065	132	0.8	Polycarbonate	0.0344	21.78	1.29	10.92
PC965-12065	132	0.8	Polycarbonate	0.0326	21.78	1.29	9.89
PC965-12065	137.6	0.8	Polycarbonate	0.038	21.78	1.29	9.87
PC965-12065	132	0.8	Polycarbonate	0.0308	21.78	1.29	8.91
PC965-12065	137.6	0.8	Polycarbonate	0.0362	21.78	1.29	8.77



Trade studies identified a set of potential optimal design configurations



Monte Carlo analysis was then used to check the reliability of select design configurations against drug temperature variation



Optimal Design Candidate 1

Reliab: 99.30%

Optimal Design Candidate 2

Reliab: 90.60%

Optimal Design Candidate 3

Reliab: 49.20%

Benefits & Challenges



Keys Benefits


- Tooling and methodology to **support collaboration** between Systems Engineers and SMEs
- **Gain** in productivity & **Reduce risks**
- **More time** spent on Trades from early Conceptual Stage
- Drive **innovation**



Challenges


- **Accessibility** to analytical models from experts
- **Complexity** going into detailed design: need to reduce models.
 - Where to stop the integration?
- **Process change** required for companies having SMEs and Systems Engineers working in silos.
- Architectural Trade-Off: Implies having a 150% model.
 - How to handle **variation points** in simulations?
 - Requires creation of customized workflows for now.
- In this study, integration with Physical Architecture only, not with the **Functional Architecture**.
 - Potential topic to address next.

Take-aways



Keys - Parameterization and Constraint Definition

The key to successful integration of Systems Models and Multi-Fidelity Analytical Models is proper parameterization and constraint definition.



Unlocking the promise of MBSE

Bridge the gap between Systems Engineering and Domain / Disciplinary Engineering by connecting System Models to Simulation and Analytical Models.



Verifying Requirements and Trading off Cost, Performance & Risk

Leverage Simulation to perform Requirements Verification, and to trade between several architectures / design configurations, from the early stages of the Development Process.



33rd Annual **INCOSE**
international symposium

hybrid event

Honolulu, HI, USA
July 15 - 20, 2023

www.incose.org/symp2023