

Walkthrough & Preparation for 1st Peer Review of Model for the Guide to Model Based Needs & Requirements



Team Members

- Rebecca Mulholand (Dynetics and Graduate SE Student at UAH)
- Cameron Bentley (Summit TRC and Graduate SE Student at UAH)
- Jonathan Dang (Griffon Aerospace and Graduate SE Student at UAH)
- Jay Silverman (Raytheon)
- John Ding (Airbus)
- Allan Lang (Airbus)
- Maxime Varoqui (Airbus)



What you are going to see

- We have 1 hour to complete this dry run
- We will identify the system to be developed
- We will provide a status of where we are in the development of the supporting model
- We will see how use Cameo Collaborator with Teamwork Cloud
- We will provide an overview of the model structure
- We will identify what is ready for review and what is not.

Case Study: Lid Installing Robot (LIR)

Lou Wheatcraft
Wheatland Consulting, LLC
Wheatland.consulting@gmail.com

Copyright © by Wheatland Consulting, LLC - distribution and use requires prior approval.




Preview of the model in TWC

- During the dry run the Published Collaborator view of the model will be used in parallel with the slides to help prepare reviewers
- https://69.147.191.246:8443/collaborator/document/265bb51dd875-458e-9f54-50d67695d862
- If you plan to actively participate and use Collaborator, We will need to make sure you have a TWC account setup and you have a reviewer profile.




Requirements the Guide is to Satisfy



- We will start with a quick look at the Needs which were derived from an identified deficiency
- Next, we will look at the Requirements and their rationale.
- Then the traceability of the Requirements for Guide to the Need Statements



INCOSE Status Update



Ready Peer **Review**



INCOSE Status Update

• The Schedule





INCOSE Proposed Guide Outline Follows The Model Development Process (1 of 2)

| 1. | Introduction | 3.4. | Functional/Capability Analysis (White Box Perspective) |
|-------------------|--|---|--|
| 1.1. | Purpose and Scope | 3.4.1. | Definition of LIR Use Cases |
| 1.2. | Audience | 3.4.1.1. Allocation of Stakeholder Requirements to Functions/Capabilities | |
| 1.3. | Approach | · | |
| 2. | The GMBNR Metamodel | 3.4.1.2. | Assessment of Use Case Results vs Needs |
| 3. | The Lid Installing Robot (LIR) | 3.4.1.3. | Identification of External Interface |
| 3.1. | Model of Baseline Jar Processing System (JPS) | 3.4.1.4. Plan(s) | Reassessment and Update of the LIR Risks and Mitigation |
| 3.2. | Development of Needs for LIR | 3.4.2. | Creation of the LIR Logical Architecture Model(s) |
| 3.2.1. | Identification of Stakeholders | 3.4.2.1. | Allocation of Functions/Capabilities to Logical Model Entities |
| 3.2.2. | Assessment of Needs for Each Stakeholder | 3.4.2.2. | Definition of Technical Measures |
| 3.2.3. | Validation of the Needs | 3.4.2.3. | Assessment of Logical Architecture to Needs |
| 3.3. | Modeling the Problem Domain (Black Box Perspective) | 3.4.2.4. | Reassessment and Update of the LIR Risks and Mitigation |
| 3.3.1. | Identification of risks and method of mitigation | Plan(s) | |
| 3.3.2. | Development of Stakeholder Requirements from Needs | 3.4.3. | Creation of the LIR Conceptual Physical Architecture(s) |
| 3.3.2.1. | Organization of Requirements into Sets | 3.4.3.1. | Definition of Natural Environment Affecting the LIR |
| 3.3.3. | Validation of the Stakeholder Requirements | 3.4.3.2. | Definition of Induced Environment Affecting the LIR |
| 3.3.4. Plan(s) | Reassessment and Update of the LIR Risks and Mitigations | | |



3.6.1.2.

3.6.2.1.

3.6.2.

Creation of the LIR System Integration Plan


Creation of the LIR Validation Plan (Export from the Model)

LIR Validation Plan Development

INCOSE Proposed Guide Outline Follows The Model Development Process (2 of 2)


| 3.4.4. | Creation of the Preliminary LIR System Requirements | 4. | Final Products Produced by the LIR Model | |
|----------------------|--|------|---|--|
| 3.4.5. Requireme | Creation of the Preliminary LIR External Interface ents | 4.1. | Integrated set of Stakeholder Needs and Requirements. | |
| 3.4.6. | Reassessment and Update of the LIR Risks and Mitigation | 4.2. | Requirements Documents & Models for the LIR Design Team | |
| Plan(s) | Definition of the Proliminary Concentual System | 4.3. | Verification Plans for the LIR Verification Team | |
| 3.5. | Definition of the Preliminary Conceptual System | 4.4. | Validation Plans for the LIR System Validation Team | |
| 3.5.1. | Update of Technical Measures | | , | |
| 3.5.2. Elements | Allocation of Requirements to Subsystems and System | 4.5. | Trace Report(s) | |
| 3.5.3. Requireme | Organizing System and Subsystem and System Elements ent Sets | 5. | Conclusions | |
| 3.5.4. | Creation of the LIR Allocated Requirements Baseline | | | |
| 3.5.5. System Ele | Define the Interface Requirements for Subsystems and ements | | | |
| 3.6. | LIR Verification and Validation Planning | | | |
| 3.6.1. | LIR Verification Plan Development | | | |
| 3.6.1.1. Model). | Creation of the LIR Verification Plan (Export from the | | | |






- 00 Supplemental
- 01 Customizations defines custom stereotypes
- 02 Metamodel defines the Metamodel used to develop the model
 - There is a sandbox folder for the verification mete-model that is still in work
- 03 Defines the interpretation of the process description from the NRM
- 04 Guide Development Process defines the process that parallels the Outline for Guide to Model Based Needs and Requirements






- 05 Task List lists a set of tasks that as a development team we are keeping up with
- 06 Glossary contains the definition of terms used in the NRM and in the Guide.
- 07 Acronyms defines all acronyms used in the model
- 08 Report Templates contains the templates that have been created to support generation of artifacts. More will be developed.





- 09 Validation Verification is work in process that supports the testing of the Model Validation Suite.
- 10 MBSE Modeling Best Practices defines for the development team a set of modeling practices that ensure our distributed team implement the same modeling practices. These will continue to evolve.






01 Problem Domain

- 01 Stakeholders Is the list of stakeholders for the Lid Installation Robot (LIR), their desired outcomes and trace to goals
- 02 Goals contains the goals of the LIR Stakeholders
- 03 Risks contains the set of risks documented in the LIR Case Study
- 04 Customer Needs contains that set of Need statements derived from the Goals. Note that the Stakeholder Requirements are derived from the set of Needs.






• 01 Problem Domain


- 05 Assumptions defines the assumptions that will be applied regarding the design of the LIR
- O6 Use Cases Sandbox is a work in progress. It contains the operational Use Cases that will drive the development of the Design Input Requirements, Verification Cases and Conceptual Design





- 02 Solution Domain
 - 01 Requirements
 - LIR Design Input Requirements A work in process. Currently not populated
 - Stakeholder Requirements This is the set of requirements derived from the need statements. Ready for Review
 - Subsystem Design Input Requirements A work in process. Currently not populated
 - 02 Conceptual defines the context for the Jar Production Facility and the LIR. It also provides the Product Breakdown Structure of the Jar Production Environment





- 02 Solution Domain
 - 03 Logical is where the current work is being performed
 - Ready for Review
 - 03 Logical/01 Architecture/LIR System Context View
 - 03 Logical/01 Architecture/LIR, Logical System
 - 03/02 Behaviors/LIR States & Modes Nominal Operations
 - The remaining is under development
 - 04 Physical Under Development
 - 05 Validation Suite Under Development



INCOSE Closing Comments & Questions

• If you plan to actively participate and use Collaborator, We will need to make sure you have a TWC account setup and you have a reviewer profile.

Questions