

# INCOSE Symposium 2010



## ***RELAAY***

### ***A Tool to Guide HSI Requirements***

**Major Nick Hardman, Ph.D.**  
C-5 M Division  
Aeronautical Systems Center  
Wright Patterson AFB, OH  
[Nicholas.Hardman@wpafb.af.mil](mailto:Nicholas.Hardman@wpafb.af.mil)

**John Colombi, Ph.D.**  
Dept of Systems & Engineering Mgt  
Air Force Institute of Technology (AFIT)  
Wright Patterson AFB, OH  
[John.Colombi@afit.edu](mailto:John.Colombi@afit.edu)



# **Acknowledgement / Disclaimer**

---



- *Thanks to our sponsor, Dr Janet Miller, from the 711<sup>th</sup> Human Performance Wing, Wright-Patterson AFB, OH*
- *The views expressed in this presentation are those of the authors and do not reflect the official policy or position of the United States Air Force, Department of Defense, or the United States Government.*

# Human Systems Integration




-- Interdisciplinary technical and management processes for integrating human considerations within and across all system elements;



...an essential enabler to systems engineering practice.

# Systems Engineering and HSI




**HSI – An interdisciplinary technical and management processes for integrating human considerations within and across all system elements; an essential enabler to systems engineering practice.**

# *Motivation: Aviation Mishaps*




Annual Percentage of Mishaps Attributed to Human-related Factors



Source: AFSC

# The (Missing) SE Feedback



# *Requirements Elicitation through Legacy Accident Analysis (RELAy)*



## Proposed Method Summary


- Study mishaps in legacy systems where human error was identified as a causal factor
- Quantify the effect of human-machine interaction breakdowns in new systems
- Use that empirical data to predict, and justify, requirements for new system design



## Data Sources

- DoD and USAF Instructions on mishap investigations
- USAF Safety Investigation Board (SIB) reports
- USAF/DoD Instructions on Safety Risk Analysis



# The Process



# RELAAY Tool




- Excel-based tool
- Receives SQL data pull
- VBA® coded
- Pivot table presentation




HFACS Data Analysis

HSI Domains Analysis



# DoD Human Error Taxonomy (formerly DoD-HFACS)



# 1. Mishap Data



HFACS Nanocode	Title	Occurrences/ 5 yr	Severity rating	Risk Rating	Similarity Factor
AE101	Inadvertent Operation	7	2.71	5.1	0.62
AE102	Checklist Error	8	2.75	5.3	0.65
AE103	Procedural Error	8	3.00	5.8	0.65
AE104	Overcontrol/Undercontrol	9	3.00	5.9	0.60
AE105	Breakdown in Visual Scan	4	3.00	4.9	0.57
AE106	Inadequate Anti-G Straining Maneuver	2	3.00	4.0	0.47
AE201	Risk Assessment – During Operation	16	2.88	6.4	0.66
AE202	Task Misprioritization	10	3.00	6.1	0.57
AE203	Necessary Action – Rushed	3	2.67	4.0	0.68
AE204	Necessary Action – Delayed	15	3.00	6.6	0.65
AE205	Caution/Warning – Ignored	2	2.50	3.3	0.68
AE206	Decision Making During Operation	7	2.86	5.3	0.62

FY	CLASS	SUBCATEGORY	HFACS	MISHAP TYPE
2004	A	Aircraft Flight	AE204	Controlled Flight Into Terrain
2004	A	Aircraft Flight	PC307	Controlled Flight Into Terrain
2004	A	Aircraft Flight	PC508	Controlled Flight Into Terrain
2004	A	Aircraft Flight	PC509	Controlled Flight Into Terrain

# 2. Risk Rating



## Severity

MIL-STD-882D			DODI 6055.07			Quantified	
Category	Level	Summarized Criteria*	Mishap		Summarized Criteria	Class	Value
			Class	Value			
Catastrophic	I	> \$1M, death or perm. total injury	A		> \$1M, death or perm. total injury, loss of a/c	A	3
Critical	II	> \$200K, perm. partial injury	B		> \$200K, perm. partial injury	B	2
Marginal	III	> \$10K, non-perm. partial injury	C		> \$20K, non-perm. partial injury	C	1
Negligible	IV	< \$10K, minor medical	--			<	0


## Frequency (Probability of Mishap)

MIL-STD-882D			Specific System Safety Program Plan (IAW AFI 91-301)			Quantified		
Category	Level	Probability of occurrence	Category	Probability of occurrence	Floor per flt hr	~5 yr rate	Value	
							Category	Level
Frequent	A	$> 10^{-1}$ (per FY)	Frequent	$> 10^{-4}$ (per flt hr)	$10^{-4}$	950	4	
Probable	B	$> 10^{-2}$ (per FY)	Probable	$> 10^{-5}$ (per flt hr)	$10^{-5}$	95	3	
Occasional	C	$> 10^{-3}$ (per FY)	Occasional	$> 10^{-6}$ (per flt hr)	$10^{-6}$	9.5	2	
Remote	D	$> 10^{-6}$ (per FY)	Remote	$> 10^{-7}$ (per flt hr)	$10^{-7}$	0.95	1	
Improbable	E	$< 10^{-6}$ (per FY)	Improbable	$< 10^{-7}$ (per flt hr)	<		0	

## 2. Risk Rating



### Risk Rating



### 3. Similarity Weighting




- Each mishap is given a similarity weighting based on commonality with the proposed system
- This weighting normalizes the contribution of individual mishaps to the significance for the program of study.

<u>Physical</u>
Vehicle Class (FAA)*
MDS Class
Same weapons system*

<u>Contribution</u>	<u>Total Similarity Scoring:</u>
0.682	0.682 1 sigma
0.272	0.954 2 sigma
0.042	0.996 3 sigma

<u>Operational</u>
Broad Class
Activity, general
Activity, detailed

<u>Contribution</u>	<u>Total Similarity Scoring:</u>
0.682	0.682 1 sigma
0.272	0.954 2 sigma
0.042	0.996 3 sigma



### 3. *Similarity Weighting*



- Chosen application: **MQ-X** (next Predator-class of vehicles)
- Planned Capabilities:
  - Transit commercial airspace
  - Aerial refueling (send/receive)
  - Surveillance / Reconnaissance
  - Close air support
  - Strategic strike



Artist's rendition (LM Skunk Works )

# 3. Similarity Weighting



**Similarity Assessment**  
Similarity = Activity\*System

**Parametric Data for Program of Study**

Program Name: KC-X

System Description: Example: New AF tanker/ cargo aircraft

Each mishap is given a similarity weighting based on commonality with the proposed system.

This weighting normalizes the contribution of individual mishaps to the significance for the program of study.

**Activity Similarity**

What expected operator-vehicle interactions are similar to those of the mishap?

Contribution Total Similarity Scoring:

DO	0.682
Operational	0.272
Activity, general	0.042

**System Similarity "Be"**

Activity Similarity "Do"

Area is similarity weighting  
=Do\*Be

**Database Contents**

All HFACS Causal/contributory Category: Aviation (UAV Inc)

From: FY 2004 # FYs: 5 # of entries: 902

To: FY 2008

CLASS: A and B

**UPDATE** <--Select this button to update this worksheet based on updates to the privileged data.

From MOFE

Line	MSHP	Encoded ID	FY	CLASS	SUBCATEGORY	HFACS	MISHAP TYPE	Associated Activity	Activity, detailed
1	1	223886	2004	A	Aircraft Flight	SP004	Pilot Loss of Control In-Flight	Takeoff	Runway
2	2	224388	2004	A	Aircraft Flight	AE102	Powerplant Failure or Malfunction	Aerial Combat	Close range, BFM
3	2	224388	2004	A	Aircraft Flight	AE201	Powerplant Failure or Malfunction	Aerial Combat	Close range, BFM
4	2	224388	2004	A	Aircraft Flight	AE202	Powerplant Failure or Malfunction	Aerial Combat	Close range, BFM
5	2	224388	2004	A	Aircraft Flight	OC002	Powerplant Failure or Malfunction	Aerial Combat	Close range, BFM
6	2	224388	2004	A	Aircraft Flight	OP003	Powerplant Failure or Malfunction	Aerial Combat	Close range, BFM
7	2	224388	2004	A	Aircraft Flight	PC102	Powerplant Failure or Malfunction	Aerial Combat	Close range, BFM
8	2	224388	2004	A	Aircraft Flight	PC103	Powerplant Failure or Malfunction	Aerial Combat	Close range, BFM
9	2	224388	2004	A	Aircraft Flight	PC205	Powerplant Failure or Malfunction	Aerial Combat	Close range, BFM
10	2	224388	2004	A	Aircraft Flight	SV002	Powerplant Failure or Malfunction	Aerial Combat	Close range, BFM
11	2	224513	2004	A	Aircraft Flight	OC001	Powerplant Failure or Malfunction	Landing	Helo/VTOL
12	3	224513	2004	A	Aircraft Flight	OP003	Powerplant Failure or Malfunction	Landing	Helo/VTOL
13	3	224513	2004	A	Aircraft Flight	SP006	Powerplant Failure or Malfunction	Landing	Helo/VTOL
14	3	224513	2004	A	Aircraft Flight	SV002	Powerplant Failure or Malfunction	Landing	Helo/VTOL
15	3	224513	2004	A	Aircraft Flight	PE102	Powerplant Failure or Malfunction	Landing	Helo/VTOL
16	3	224513	2004	A	Aircraft Flight	PE204	Powerplant Failure or Malfunction	Landing	Helo/VTOL
17	4	224674	2004	A	Unmanned Aerial Vehicle	OP003	Pilot Loss of Control In-Flight	Cruise	IFE/unplanned event
18	4	224674	2004	A	Unmanned Aerial Vehicle	SI003	Pilot Loss of Control In-Flight	Cruise	IFE/unplanned event
19	4	224674	2004	A	Unmanned Aerial Vehicle	SP002	Pilot Loss of Control In-Flight	Cruise	IFE/unplanned event
20	5	225024	2004	B	Aircraft Ground Operations	OP001	Ground Handling and Servicing Operations	Ground Operations	Maintenance
21	5	225024	2004	B	Aircraft Ground Operations	OP003	Ground Handling and Servicing Operations	Ground Operations	Maintenance
22	5	225024	2004	B	Aircraft Ground Operations	SI001	Ground Handling and Servicing Operations	Ground Operations	Maintenance
23	5	225024	2004	B	Aircraft Ground Operations	SI003	Ground Handling and Servicing Operations	Ground Operations	Maintenance
24	5	225024	2004	B	Aircraft Ground Operations	SP002	Ground Handling and Servicing Operations	Ground Operations	Maintenance
25	5	225024	2004	B	Aircraft Ground Operations	SP005	Ground Handling and Servicing Operations	Ground Operations	Maintenance
26	6	225316	2004	A	Aircraft Flight	OP003	System Failure or Malfunction (Non-Powerplant)	Landing	Runway
27	7	225588	2004	B	Aircraft Ground Operations	OP003	Powerplant Failure or Malfunction	Ground Operations	Maintenance
28	8	225573	2004	A	Aircraft Flight	AE202	Controlled Flight Into Terrain	Takeoff	Runway
29	8	225573	2004	A	Aircraft Flight	AE204	Controlled Flight Into Terrain	Takeoff	Runway

Overview Data - Sanitized Risk Assessment Similarity Assessment Fit hrs & Sim by MDS Data

# Significance



Target system: MQ-X

Nanocode	Title	Occurrences/ 5 yr	Severity rating	Risk Rating	Similarity Factor	Significance
PP111	Task/Mission-In-Progress Re-Planning	1	3.00	3.1	0.65	2.00
PP112	Miscommunication	3	2.67	4.0	0.68	2.72
PP201	Physical Fitness	0	--	0.0	--	0.00
PP202	Alcohol	2	3.00	4.0	0.68	2.70
PP203	Drugs/Supplements/Self Medication	0	--	0.0	--	0.00
PP204	Nutrition	1	3.00	3.1	0.47	1.43
PP205	Inadequate Rest	2	3.00	4.0	0.57	2.27
PP206	Unreported Disqualifying Medical Condition	0	--	0.0	--	0.00
SI001	Leadership/Supervision/Oversight Inadequate	30	2.40	6.0	0.69	4.11
SI002	Supervision – Modeling	2	3.00	4.0	0.84	3.32
SI003	Local Training Issues/Programs	44	2.55	6.8	0.73	4.99
SI004	Supervision – Policy	9	2.33	4.6	0.78	3.61
SI005	Supervision – Personality Conflict	1	2.00	2.0	0.68	1.39

# Significance



Compare top  
10 HFACS

Risk alone
OP003
PC102
PC504
SI003
OR004
AE204
PC508
PC307
PC206
AE201

50% common

w/ Sim_factor
OP003
SI003
OR004
PC102
OP002
OP001
SP004
OP004
OC001
PC508


Compare top  
20 HFACS

Risk alone
OP003
PC102
PC504
SI003
OR004
AE204
PC508
PC307
PC206
AE201
PC214
PC506
PC511
PC208
OP004
AE202
PE102
OP002
SP004
SI001

80% common

w/ Sim_factor
OP003
SI003
OR004
PC102
OP002
OP001
SP004
OP004
OC001
PC508
AE204
AE201
SV001
PC307
SF002
PC504
PC208
PC511
SI001
PC206

# 4. HFACS→HSI Domain Mapping




# 4. HFACS→HSI Domain Mapping




HFACS Nanocode	Title	Manpower	Personnel	Training	Human Factors	Safety	Health	Habitability
AE101	Inadvertent Operation				X	X		
AE102	Checklist Error			X	X	X		
AE103	Procedural Error			X	X	X		
AE104	Overcontrol/Undercontrol			X	X			
AE105	Breakdown in Visual Scan				X			
AE106	Inadequate Anti-G Straining Maneuver	X	X	X	X	X		
AE201	Risk Assessment – During Operation	X	X					
AE202	Task Misprioritization	X	X	X				
AE203	Necessary Action – Rushed	X	X	X				
AE204	Necessary Action – Delayed	X	X	X				
AE205	Caution/Warning – Ignored	X	X	X	X			
AE206	Decision Making During Operation	X	X	X				
AE301	Error due to Misperception	X			X	X		
AV001	Violation - Based on Risk Assessment	X	X					
AV002	Violation - Routine/Widespread					X		
AV003	Violation - Lack of Discipline	X						
PE101	Vision Restricted by Icing/Windows Fogged/Etc.				X	X		
PE102	Vision restricted by Meteorological Conditions				X	X		
PE103	Vibration					X	X	X
PE104	Vision Restricted in Workplace by Dust/Smoke/Etc.					X	X	
PE105	Windblast					X	X	X
PE106	Thermal Stress – Cold					X	X	X
PE107	Thermal Stress – Heat					X	X	X
PE108	Maneuvering Forces – In-Flight					X	X	
PE109	Lightning of Other Aircraft/Vehicle				X			
PE110	Noise Interference				X	X	X	X
PE111	Brownout/Whiteout				X	X		
PE201	Seating and Restraints				X	X		X
PE202	Instrumentation and Sensory Feedback Systems				X	X		
PE203	Visibility Restrictions				X	X		
PE204	Controls and Switches				X	X		

- Formed through collaboration sessions with engineers, HF practitioners, and academics
- Presented to INCOSE HSI WG and feedback incorporated.

# 5. Requirements Elicitation: MQ-X




# 5. Requirements Elicitation: MQ-X



# 5. Requirements Elicitation: MQ-X




## HSI Domain: Personnel Significance for MQ-X



# 5. Requirements Elicitation: MQ-X




## HSI Domain: Training Significance for MQ-X



# 5. Requirements Elicitation: MQ-X



## HSI Domain: Human Factors Significance for MQ-X




# Summary



- **RELAAY is a bridge between the safety and SE community**
- “Tunable” method tailored by:
  - Data set
  - Error taxonomy
  - Risk ratings
  - Similarity weighting
  - HSI mapping



# Conclusion



- Research has established the importance of HSI in new system design
- Engineers must elicit and prioritize HSI requirements earlier in system development
- The RELAAy method analyzes legacy system mishaps involving human error as a causal factor
  - Identifies significant causal HFACS
  - Uses a proposed HFACS-HSI mapping